

Product description

Corrugated steel sheet T8 is made of steel sheet, galvanized on both sides and protected with polyester. It is used especially for facades, fences or ceilings but can be mounted on the roof as covering.

Production Specifications



- BILKA T8 corrugated steel sheet is made with a nominal thickness between 0.3 - 0.7 mm, based on the construction requirements
- The standard length of the modules ranges from 0.500 m and 8 m. Execution of the modules with different lengths from the standard ones will be made after prior consultation with the technical specialist from BILKA.
- The standard length of the modules ranges from 0.500 m and 8 m. Execution of the modules with different lengths from the standard ones will be made after prior consultation with the technical specialist from BILKA.
- 21 color options available, matt and glossy

Advantages

- easy assembly, requires a low number of supporting elements
- behaves well in time and is weather resistant
- long life duration
- low weight, does not loads the foundation

Technical Specifications

Material	Steel, galvanized sheet metal on both sides protected with polyester
Nominal thickness	0,3 - 0,7 mm
Total width	1200 mm
Covering useful width	1180 mm
Height of the corrugation	8 mm
Weight on the surface	3 - 5 kg/sqm
Guarantees	10-year warranty for color characteristics and corrosion
Endurance	50 - 60 years, resistance to temperature variations



BILKA STEEL SRL

Street Henri Coanda No. 17, Brasov

Tel: +4 0733.30.30.30 Fax: +4 0268.548.116 www.bilka.ro